Instructions for RANLP 2023 Proceedings

Anonymous RANLP 2023 submission

000

001

002

003

Abstract

This document contains the instructions for preparing a manuscript for the proceedings of RANLP 2023. The document itself conforms to its own specifications, and is therefore an example of what your manuscript should look like. These instructions should be used for both papers submitted for review and for final versions of accepted papers. Authors are asked to conform to all the directions reported in this document.

1 Credits

This document has been adapted by Ivelina Nikolova and Nikolai Nikolov from the instructions for ACL-IJCNLP 2021 and earlier ACL, NAACL and EMNLP and RANLP proceedings including those for ACL-IJCNLP 2021 by Roberto Navigli EMNLP 2020 by Yulan He, ACL 2020 by Steven Bethard, Ryan Cotterrell and Rui Yan, ACL 2019 030 by Douwe Kiela and Ivan Vulić, NAACL 2019 031 by Stephanie Lukin and Alla Roskovskaya, ACL 032 2018 by Shay Cohen, Kevin Gimpel, and Wei Lu, 033 NAACL 2018 by Margaret Michell and Stephanie 034 Lukin, 2017/2018 (NA)ACL bibtex suggestions 035 from Jason Eisner, ACL 2017 by Dan Gildea and 036 Min-Yen Kan, NAACL 2017 by Margaret Mitchell, 037 ACL 2012 by Maggie Li and Michael White, ACL 038 2010 by Jing-Shing Chang and Philipp Koehn, 039 ACL 2008 by Johanna D. Moore, Simone Teufel, 040 James Allan, and Sadaoki Furui, ACL 2005 by 041 Hwee Tou Ng and Kemal Oflazer, ACL 2002 by 042 Eugene Charniak and Dekang Lin, and earlier ACL 043 and EACL formats written by several people, in-044 cluding John Chen, Henry S. Thompson and Don-045 ald Walker. Additional elements were taken from 046 the formatting instructions of the International Joint Conference on Artificial Intelligence and the 047 Conference on Computer Vision and Pattern Recog-048 nition. 049

2 Introduction

The following instructions are directed to authors of papers submitted to RANLP 2023 or accepted for publication in its proceedings. All authors are required to adhere to these specifications. Authors are required to provide a Portable Document Format (PDF) version of their papers. **The proceedings are designed for printing on A4 paper.** 050

051

052

053

054

055

056

057

058

059 060

061

062

063

064

065

066

067

068

069

070

071

072

073

074

075

076

077

078

079

080

081

082

083

084

085

086

087

088

089

090

091

092

093

094

095

096

097

098

099

3 Electronically-available resources

RANLP provides this description and accompanying style files at

```
http://ranlp.org/ranlp2023/
ranlp2023-templates.zip
```

We strongly recommend the use of these style files, which have been appropriately tailored for the RANLP 2023 proceedings. You can also start from the Overleaf template linked from the conference website.

LATEX-specific details: The templates include the LATEX2e source (ranlp2023.tex), the LATEX2e style file used to format it (ranlp2023.sty), an ACL bibliography style (acl_natbib.bst), an example bibliography (ranlp2023.bib), and the bibliography for the ACL Anthology (anthology.bib).

4 Length of Submission

RANLP publishes Regular papers 8 pages (with 30 min oral presentation), Short papers 6 pages (with 20 min oral presentation), and Poster/Demo papers 4 pages (with presentation in a poster or demo session). Additional pages are allowed for references only. Upon acceptance, final versions of all submission types will be given one additional content page to address the reviewers' comments.

100For all submission types, all illustrations and101tables that are part of the main text must be accom-102modated within these page limits, observing the103formatting instructions given in the present docu-104ment. Papers that do not conform to the spec-105ified length and formatting requirements are106subject to be rejected without review.

The conference encourages the submission of 107 additional material that is relevant to the reviewers 108 but not an integral part of the paper. There are two 109 such types of material: appendices, which can be 110 read, and non-readable supplementary materials, 111 often data or code. Additional material must be 112 submitted as separate files, and must adhere to the 113 same anonymity guidelines as the main paper. Ap-114 pendices should be no longer than 2 pages. The 115 paper must be self-contained: it is optional for re-116 viewers to look at the supplementary material. The 117 paper should not refer, for further detail, to docu-118 ments, code or data resources that are not available 119 to the reviewers. Refer to Section 8 for further 120 information. 121

Workshop chairs may have different rules for allowed length and whether supplemental material is welcome. As always, the respective call for papers is the authoritative source.

5 Anonymity

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

As reviewing will be double-blind, papers submitted for review should not include any author information (such as names or affiliations). Furthermore, self-references that reveal the author's identity, *e.g.*,

We previously showed (Gusfield, 1997) ...

should be avoided. Instead, use citations such as

Gusfield (1997) previously showed...

Please do not use anonymous citations and do not include acknowledgements. **Papers that do not conform to these requirements may be rejected without review.**

Any preliminary non-archival versions of submitted papers should be listed in the submission form but not in the review version of the paper. Reviewers are generally aware that authors may present preliminary versions of their work in other venues, but will not be provided the list of previous presentations from the submission form.

Please do not include github links that reveal the authors' identities in your submission. If you feel

it is important to include your source code, you can zip the code and submit it to softconf. 150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

Once a paper has been accepted to the conference, the camera-ready version of the paper should include the author's names and affiliations, and is allowed to use self-references and provide the related github link.

LATEX-specific details: For an anonymized submission, ensure that \aclfinalcopy at the top of this document is commented out, and that you have filled in the paper ID number (assigned during the submission process on softconf) where *** appears in the \def\aclpaperid{***} definition at the top of this document. For a camera-ready submission, ensure that \aclfinalcopy at the top of this document is not commented out.

6 Multiple Submission Policy

Double submission is acceptable, but authors will be asked to declare it at the time of submission.

7 Formatting Instructions

Manuscripts must be in two-column format. Exceptions to the two-column format include the title, authors' names and complete addresses, which must be centered at the top of the first page, and any full-width figures or tables (see the guidelines in Section 7.5). **Type single-spaced.** Start all pages directly under the top margin. The manuscript should be printed single-sided and its length should not exceed the maximum page limit described in Section 4. Pages should be numbered in the version submitted for review, but **pages should not be numbered in the camera-ready version**.

LATEX-specific details: The style files will generate page numbers when *\aclfinalcopy* is commented out, and remove them otherwise.

7.1 File Format

For the production of the electronic manuscript you must use Adobe's Portable Document Format (PDF). Please make sure that your PDF file includes all the necessary fonts (especially tree diagrams, symbols, and fonts with Asian characters). When you print or create the PDF file, there is usually an option in your printer setup to include none, all or just non-standard fonts. Please make sure that you select the option of including ALL the fonts. **Before sending it, test your PDF by printing it from a computer different from the one where** 200 it was created. Moreover, some word processors 201 may generate very large PDF files, where each page is rendered as an image. Such images may 202 reproduce poorly. In this case, try alternative ways 203 to obtain the PDF. One way is from online PDF 204 converters (beware to scan the output for threats), 205 or on some systems you may install a driver for a 206 postscript printer, send your document to the printer 207 specifying "Output to a file", then convert the file 208 to PDF. 209

It is of utmost importance to specify the **A4 format** (21 cm x 29.7 cm) when formatting the paper. Print-outs of the PDF file on A4 paper should be identical to the hardcopy version. If you cannot meet the above requirements about the production of your electronic submission, please contact the publication chairs as soon as possible.

LATEX-specific details: PDF files are usually produced from LATEX using the pdflatex command. If your version of LATEX produces Postscript files, ps2pdf or dvipdf can convert these to PDF. To ensure A4 format in LATEX, use the command \special{papersize=210mm, 297mm} in the LATEX preamble (below the \usepackage commands) and use dvipdf and/or pdflatex; or specify -t a4 when working with dvips.

7.2 Layout

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

Format manuscripts two columns to a page, in the manner these instructions are formatted. The exact dimensions for a page on A4 paper are:

- Left and right margins: 2.5 cm
- Top margin: 2.5 cm
- Bottom margin: 2.5 cm
- Column width: 7.7 cm
- Column height: 24.7 cm
- Gap between columns: 0.6 cm

Papers should not be submitted on any other paper size. If you cannot meet the above requirements about the production of your electronic submission, please contact the publication chairs above as soon as possible.

7.3 Fonts

For reasons of uniformity, Adobe's **Times Roman** font should be used. If Times Roman is unavailable,

Type of Text	Font Size	Style	250
paper title	15 pt	bold	251
author names	12 pt	bold	252
author affiliation	12 pt		253
the word "Abstract"	12 pt	bold	254
section titles	12 pt	bold	255
subsection titles	11 pt	bold	256
document text	11 pt		257
captions	10 pt		258
abstract text	10 pt		259
bibliography	10 pt		260
footnotes	9 pt		. 261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

Table 1: Font guide.

you may use Times New Roman or **Computer Modern Roman**.

Table 1 specifies what font sizes and styles must be used for each type of text in the manuscript.

LATEX-specific details: To use Times Roman in LATEX2e, put the following in the preamble:

\usepackage{times}
\usepackage{latexsym}

7.4 Ruler

A printed ruler (line numbers in the left and right margins of the article) should be presented in the version submitted for review, so that reviewers may comment on particular lines in the paper without circumlocution. The presence or absence of the ruler should not change the appearance of any other content on the page. The camera ready copy should not contain a ruler.

Reviewers: note that the ruler measurements may not align well with lines in the paper – this turns out to be very difficult to do well when the paper contains many figures and equations, and, when done, looks ugly. In most cases one would expect that the approximate location will be adequate, although you can also use fractional references (*e.g.*, this line ends at mark 295.5).

LATEX-specific details: The style files will generate the ruler when \aclfinalcopy is commented out, and remove it otherwise.

7.5 Title and Authors

Center the title, author's name(s) and affiliation(s) across both columns. Do not use footnotes for affiliations. Place the title centered at the top of the first page, in a 15-point bold font. Long titles should be 300 typed on two lines without a blank line intervening. 301 Put the title 2.5 cm from the top of the page, followed by a blank line, then the author's names(s), 302 and the affiliation on the following line. Do not 303 use only initials for given names (middle initials 304 are allowed). Do not format surnames in all capi-305 tals (e.g., use "Mitchell" not "MITCHELL"). Do 306 not format title and section headings in all capitals 307 except for proper names (such as "BLEU") that 308 are conventionally in all capitals. The affiliation 309 should contain the author's complete address, and 310 if possible, an electronic mail address. 311

The title, author names and addresses should be completely identical to those entered to the paper submission website in order to maintain the consistency of author information among all publications of the conference. If they are different, the publication chairs may resolve the difference without consulting with you; so it is in your own interest to double-check that the information is consistent.

Start the body of the first page 7.5 cm from the top of the page. Even in the anonymous version of the paper, you should maintain space for names and addresses so that they will fit in the final (accepted) version.

7.6 Abstract

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

Use two-column format when you begin the abstract. Type the abstract at the beginning of the first column. The width of the abstract text should be smaller than the width of the columns for the text in the body of the paper by 0.6 cm on each side. Center the word **Abstract** in a 12 point bold font above the body of the abstract. The abstract should be a concise summary of the general thesis and conclusions of the paper. It should be no longer than 200 words. The abstract text should be in 10 point font.

7.7 Text

Begin typing the main body of the text immediately after the abstract, observing the two-column format as shown in the present document.

Indent 0.4 cm when starting a new paragraph.

7.8 Sections

Format section and subsection headings in the style shown on the present document. Use numbered sections (Arabic numerals) to facilitate cross references. Number subsections with the section number and the subsection number separated by a dot, in Arabic numerals.

Command	Output	Command	Output
{\ " a}	ä	{\c c}	ç
{\^e}	ê	{\u g}	ğ
{\`i}	ì	$\{ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	ł
$\{ \setminus I \}$	İ	{\~n}	ñ
{\0}	ø	{\H o}	ő
{\ ' u}	ú	{\v r}	ř
{\aa}	å	{\ss}	ß

Table 2: Example commands for accented characters, to be used in, *e.g.*, BIBT_EX names.

7.9 Footnotes

Put footnotes at the bottom of the page and use 9 point font. They may be numbered or referred to by asterisks or other symbols.¹ Footnotes should be separated from the text by a line.²

7.10 Graphics

Place figures, tables, and photographs in the paper near where they are first discussed, rather than at the end, if possible. Wide illustrations may run across both columns. Color is allowed, but adhere to Section 9's guidelines on accessibility.

Captions: Provide a caption for every illustration; number each one sequentially in the form: "Figure 1. Caption of the Figure." "Table 1. Caption of the Table." Type the captions of the figures and tables below the body, using 10 point text. Captions should be placed below illustrations. Captions that are one line are centered (see Table 1). Captions longer than one line are left-aligned (see Table 2).

LATEX-specific details: The style files are compatible with the caption and subcaption packages; do not add optional arguments. **Do not override the default caption sizes.**

7.11 Hyperlinks

Within-document and external hyperlinks are indicated with Dark Blue text, Color Hex #000099.

7.12 Citations

Citations within the text appear in parentheses as (Gusfield, 1997) or, if the author's name appears in the text itself, as Gusfield (1997). Append lowercase letters to the year in cases of ambiguities. Treat double authors as in (Aho and Ullman, 1972),

¹This is how a footnote should appear.

²Note the line separating the footnotes from the text.

436

437

438

439

440

441

442

443

444

445

446

447

448

449

but write as in (Chandra et al., 1981) when more than two authors are involved. Collapse multiple citations as in (Gusfield, 1997; Aho and Ullman, 1972).

> Refrain from using full citations as sentence constituents. Instead of

"(Gusfield, 1997) showed that ..."

write

"Gusfield (1997) showed that ..."

IAT_EX-specific details: Table 3 shows the syntax supported by the style files. We encourage you to use the natbib styles. You can use the command \citet (cite in text) to get "author (year)" citations as in Gusfield (1997). You can use the command \citep (cite in parentheses) to get "(author, year)" citations as in (Gusfield, 1997). You can use the command \citealp (alternative cite without parentheses) to get "author year" citations (which is useful for using citations within parentheses, as in Gusfield, 1997).

7.13 References

Gather the full set of references together under the heading **References**; place the section before any Appendices. Arrange the references alphabetically by first author, rather than by order of occurrence in the text.

Provide as complete a citation as possible, using a consistent format, such as the one for *Computational Linguistics* or the one in the *Publication Manual of the American Psychological Associa tion* (American Psychological Association, 1983). Use full names for authors, not just initials.

Submissions should accurately reference prior and related work, including code and data. If a piece of prior work appeared in multiple venues, the version that appeared in a refereed, archival venue should be referenced. If multiple versions of a piece of prior work exist, the one used by the authors should be referenced. Authors should not rely on automated citation indices to provide accurate references for prior and related work.

The following text cites various types of articles so that the references section of the present document will include them.

• Example article in journal: (Ando and Zhang, 2005).

• Example article in proceedings, with location: (Börschinger and Johnson, 2011).

450 451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

- Example article in proceedings, without location: (Andrew and Gao, 2007).
- Example arxiv paper: (Rasooli and Tetreault, 2015).

LATEX-specific details: The LATEX and BibTEX style files provided roughly follow the American Psychological Association format. If your own bib file is named ranlp2023.bib, then placing the following before any appendices in your LATEX file will generate the references section for you:

```
\bibliographystyle{acl_natbib}
\bibliography{ranlp2023}
```

You can obtain the complete ACL Anthology as a BibT_EX file from https://aclweb.org/ anthology/anthology.bib.gz. To include both the anthology and your own bib file, use the following instead of the above.

\bibliographystyle{acl_natbib}
\bibliography{anthology,ranlp2023}

7.14 Digital Object Identifiers

As part of our work to make ACL materials more widely used and cited outside of our discipline, ACL has registered as a CrossRef member, as a registrant of Digital Object Identifiers (DOIs), the standard for registering permanent URNs for referencing scholarly materials.

All camera-ready references are required to contain the appropriate DOIs (or, as a second resort, the hyperlinked ACL Anthology Identifier) to all cited works. Appropriate records should be found for most materials in the current ACL Anthology at http://aclanthology.info/. As examples, we cite (Goodman et al., 2016) to show you how papers with a DOI will appear in the bibliography. We cite (Harper, 2014) to show how papers without a DOI but with an ACL Anthology Identifier will appear in the bibliography.

LATEX-specific details: Please ensure that you use BibTEX records that contain DOI or URLs for any of the ACL materials that you reference. If the BibTEX file contains DOI fields, the paper title in the references section will appear as a hyperlink to the DOI, using the hyperref LATEX package.

00	Output	natbib command	Old ACL-style command
	(Gusfield, 1997)	\citep	\cite
	Gusfield, 1997	\citealp	no equivalent
	Gusfield (1997)	\citet	\newcite
	(1997)	\citeyearpar	\shortcite

Table 3: Citation commands supported by the style file. The style is based on the natbib package and supports all natbib citation commands. It also supports commands defined in previous ACL style files for compatibility.

8 **Supplementary Materials**

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

Supplementary material may report preprocessing decisions, model parameters, and other details necessary for the replication of the experiments reported in the paper. Seemingly small preprocessing decisions can sometimes make a large difference in performance, so it is crucial to record such decisions to precisely characterize state-of-the-art methods.

Nonetheless, supplementary material should be supplementary (rather than central) to the paper. Submissions that misuse the supplementary material may be rejected without review. Supplementary material may include explanations or details of proofs or derivations that do not fit into the paper, lists of features or feature templates, sample inputs and outputs for a system, hyperparameter values, pseudo-code or source code, and data.

The paper should not rely on the supplementary material: while the paper may refer to and cite the supplementary material and the supplementary material will be available to the reviewers, they will not be asked to review the supplementary material.

Supplementary material can be uploaded as up to three separate files: a single appendix file in PDF format, a single .tgz or .zip archive containing software, and/or a single .tgz or .zip archive containing data.

8.1 Appendices

Appendices are material that can be read, and include lemmas, formulas, proofs, and tables that are not critical to the reading and understanding of the paper. In the submitted version, appendices should be uploaded as a separate file. Submissions which include appendices in the main paper will **be rejected without review.** In the camera ready version, instead, appendices should directly follow the text and the references.

LATEX-specific details: In your camera ready ver-548 sion use \appendix before any appendix section 549

to switch the section numbering over to letters.

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

597

598

599

8.2 Software and Data

Submissions may include software and data used in the work and described in the paper. Any accompanying software and/or data should include licenses and documentation of research review as appropriate.

9 Accessibility

In an effort to accommodate people who are colorblind (as well as those printing to paper), grayscale readability is strongly encouraged. Color is not forbidden, but authors should ensure that tables and figures do not rely solely on color to convey critical distinctions. A simple criterion: All curves and points in your figures should be clearly distinguishable without color.

10 **Translation of non-English Terms**

It is also advised to supplement non-English characters and terms with appropriate transliterations and/or translations since not all readers understand all such characters and terms. Inline transliteration or translation can be represented in the order of:

original-form	584	
transliteration	585	
"translation"	586	
11 LAT _F X Compilation Issues	587	
You may encounter the following error during com-		
pilation:	590	
Vertex all'al and ad up in different past	591	
\pdfendlink ended up in different nest- ing level than \pdfstartlink.		
		This happens when pdflatex is used and a cita-
tion splits across a page boundary. To fix this,		
the style file contains a patch consisting of two	596	

lines: (1) \RequirePackage{etoolbox} (line 455

in ran1p2023.sty), and (2) A long line below (line

456 in ran1p2023.sty).

600	If you still encounter compilation issues even	Mary Harper. 2014. Learning from 26 languages: Pro-	650
601	with the patch enabled, disable the patch by	gram management and science in the babel program. In <i>Proceedings of COLING 2014, the 25th Inter-</i>	651
602	commenting the two lines, and then disable the	national Conference on Computational Linguistics:	652
603	hyperref package by loading the style file with	Technical Papers, page 1, Dublin, Ireland. Dublin	653
604	the nohyperref option:	City University and Association for Computational	654
605	<pre>\usepackage[nohyperref]{acl2023}</pre>	Linguistics.	655
606	Then recompile, find the problematic citation, and	Mohammad Sadegh Rasooli and Joel R. Tetreault. 2015.	656
607	rewrite the sentence containing the citation. (See,	Yara parser: A fast and accurate dependency parser.	657
608	e.g., http://tug.org/errors.html)	<i>Computing Research Repository</i> , arXiv:1503.06733. Version 2.	658
609		Version 2.	659
610	Acknowledgments		660
611	The acknowledgments should go immediately be-		661
612	fore the references. Do not number the acknowl-		662
613	edgments section. Do not include this section		663
614	when submitting your paper for review.		664
615			665
616			666
617	References		667
618	Alfred V. Aho and Jeffrey D. Ullman. 1972. The Theory		668
619	of Parsing, Translation and Compiling, volume 1.		669
620	Prentice-Hall, Englewood Cliffs, NJ.		670
621			671
622	American Psychological Association. 1983. <i>Publica-</i> <i>tions Manual</i> . American Psychological Association,		672
623	Washington, DC.		673
624			674
625	Rie Kubota Ando and Tong Zhang. 2005. A framework		675
626	for learning predictive structures from multiple tasks and unlabeled data. <i>Journal of Machine Learning</i>		676
627	Research, 6:1817–1853.		677
628			678
629	Galen Andrew and Jianfeng Gao. 2007. Scalable train-		679
630	ing of L1-regularized log-linear models. In Proceed- ings of the 24th International Conference on Machine		680
631	Learning, pages 33–40.		681
632			682
633	Benjamin Börschinger and Mark Johnson. 2011. A par-		683
634	ticle filter algorithm for Bayesian wordsegmentation. In <i>Proceedings of the Australasian Language Tech</i> -		684
635	nology Association Workshop 2011, pages 10–18,		685
636	Canberra, Australia.		686
637	Ashah K. Chander, Danter C. Karan, and Laura I. Stack		687
638	Ashok K. Chandra, Dexter C. Kozen, and Larry J. Stock- meyer. 1981. Alternation. <i>Journal of the Association</i>		688
639	for Computing Machinery, 28(1):114–133.		689
640			690
641	James Goodman, Andreas Vlachos, and Jason Narad-		691
642	owsky. 2016. Noise reduction and targeted explo- ration in imitation learning for Abstract Meaning		692
643	Representation parsing. In Proceedings of the 54th		693
644	Annual Meeting of the Association for Computational		694
645	<i>Linguistics (Volume 1: Long Papers)</i> , pages 1–11, Berlin, Germany. Association for Computational Lin-		695
	guistics.		695
646 647	-		696
648	Dan Gusfield. 1997. Algorithms on Strings, Trees and		698
649	Sequences. Cambridge University Press, Cambridge, UK.		699
U43	U1X.		033